

148 Manitou Drive Unit 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860



Fax: (877) 434-8250

# SAFETY DATA SHEET

## **Section 1: Product Identification**

Product Name EnvironMelt Ice Melter
Identified Uses Melt Snow and Ice
Supplier's Details The Kissner Group

148 Manitou Drive Unit 301

Kitchener, Ontario, Canada N2C 1L3

**Phone Number** (519) 279-4860

Emergency Contact (24 Hrs) (613) 996-6666 CANUTEC

### **Section 2: Hazard Identification**

Classification (GHS) Not Classified

GHS Labelling No Labelling applicable

Percentage Not applicable

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Other Hazards When heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged

contact.

### **Section 3: Composition/Information On Ingredients**

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	85.0-99.9%	7647-14-5	Not Classified
Magnesium Chloride	0.01-5.0%	7786-30-3	Not Classified
Calcium Magnesium Acetate (CMA)	0.01-5.0%	76123-46-1	Acute Tox. 4 (Inhalation:dust,mist), H332; Eye Irrit. 2B, H320
Potassium Chloride	0.01-5.0%	7447-40-7	Aquatic Acute 3, H402
Product may contain color indicator			

# **Section 4: First-Aid Measures**

#### **Description of First Aid Measures**

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep

Inhalation at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty

persists.



148 Manitou Drive Unit 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860

Fax: (877) 434-8250



Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at

least 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before Skin Contact

reuse.

Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if Eye Contact

present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Ingestion

#### Most Important Symptoms and Effects Both Acute and Delayed

General Dust may cause mechanical irritation to eyes, nose, throat, and lungs

Prolonged contact with large amounts of dust may cause mechanical irritation. Inhalation

Skin Contact Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact Contact may cause irritation due to mechanical abrasion Ingestion Ingestion is not likely to be harmful or have adverse effects

Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and Other

lungs.

**Chronic Symptoms** Not available

### **Section 5: Fire-Fighting Measures**

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

Do not use a heavy water stream. Use of heavy stream of water may spread **Unsuitable Extinguishing Media:** 

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

**Hazardous Combustion Products:** Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine. Other Information: Do not allow run-off from firefighting to enter drains or water courses.

### **Section 6: Accidental Release Measures**

**Personal Precautions** Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing.

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Environmental Precautions** Prevent entry to sewers and public waters. Avoid release to the environment.

Clear up spills immediately and dispose of waste safely. Recover the product by **Methods for Cleaning Up** 

vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

# **Section 7: Handling And Storage**

**Precautions for Safe Handling** 



148 Manitou Drive Unit 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Additional Hazards When Processed

**Hygiene Measures** 

When heated to decomposition, emits toxic fumes. Contact with water causes an exothermic heat reaction, which may cause significant temperature rise. Corrosive to metals upon prolonged contact. May release hydrogen gas on prolonged contact with

certain metals.

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

Wash hands and forearms thoroughly after handling.

**Conditions for Safe Storage, Including Any Incompatibilities** 

**Technical Measures** Comply with applicable regulations

Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

**Storage Conditions** Keep/Store away from extremely high or low temperatures, direct sunlight, heat,

ignition sources, and incompatible materials.

**Incompatible Materials** Strong acids. Strong bases. Strong oxidizers.

# **Section 8: Exposure Controls/Personal Protection**

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its

chemical components.

**Appropriate Engineering** 

**Controls** 

Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Ensure all national/local regulations are

observed. Ensure adequate ventilation, especially in confined areas

**Personal Protective** 

Equipment

Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory

protection. Gloves.

**Materials for Protective** 

Clothing:

Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

**Respiratory Protection:**Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations are expected to exceed exposure limits.

## **Section 9: Physical And Chemical Properties**

Appearance/ Physical State Green coloured granules. Odorless. Solid

Vapour Pressure (mm Hg at 20°C)Not applicableVapour Density (Air = 1.0)Not applicableBulk DensityNot applicable



148 Manitou Drive Unit 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Solubility in Water

Specific Gravity (gm/cc, Water = 1.0)

Wolatile by Volume

Boiling Range (Deg. Celsius)

Melting Point

Coefficient of Water/Oil Distribution

Water Soluble

Not applicable

**pH** 10 (1% solution @ 20°C)

### **Section 10: Stability And Reactivity**

**Chemical Stability:** Stable under normal conditions.

**Reactivity:** When heated to decomposition, emits toxic fumes. Toxic Gas.

Possibility of Hazardous Reactions:

Polymerization occurs with calcium chloride when mixed with methyl vinyl

ether.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Reactive metals.

Hazardous Decomposition Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of

**Products:** magnesium. Oxides of calcium.

## **Section 11: Toxicological Information**

Not classified **Acute Toxicity:** LD50 and LC50 Data: Not available **Skin Corrosion/Irritation:** Not classified Serious Eye Damage/Irritation: Not classified **Respiratory or Skin Sensitization:** Not classified **Germ Cell Mutagenicity:** Not classified Not available **Teratogenicity:** Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified **Reproductive Toxicity:** Not classified Not classified **Specific Target Organ Toxicity (Single Exposure): Aspiration Hazard:** Not classified

Information on Toxicological Effects - Ingredient(s)

Sodium chlorido (7647 14 5)	LD50 Oral Rat	3 g/kg
Sodium chloride (7647-14-5)	LC50 Inhalation Rat	> 42 g/m³ (Exposure time: 1 h)
Calcium Magnesium Acetate (76123-46-1)	LC50 Inhalation Rat	> 4600 mg/m³ (Exposure time: 4 h)
Potassium Chloride (7447-40-7)	LD50 Oral Rat	2600 mg/kg

# **Section 12: Ecological Information**



148 Manitou Drive Unit 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



**Toxicity** No additional information available

Sodium chloride (7647-14-5)

LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

#### Potassium Chloride (7447-40-7)

LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [stactic])
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	750-1020 mg/l (Exposure time: 96 h - Species: Pimephales Promelas [stactic])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [stactic])

Persistence and degradability

Not available

Bio accumulative potential

Sodium chloride (7647-14-5) BCF Fish 1 (no bioaccumulation)

Mobility in Soil Not available

**Other Information** Avoid release to the environment

## **Section 13: Disposal Considerations**

Waste Disposal Recommendations

Dispose of waste material in accordance with all local, regional, national, provincial,

territorial and international regulations.

## **Section 14: Transport Information**

In Accordance with DOT

In Accordance with IMDG

In Accordance with IATA

In Accordance with IATA

In Accordance with TDG

Not regulated for transport

Not regulated for transport

Not regulated for transport

# **Section 15: Regulatory Information**

#### **US Federal Regulations**

Sodium chloride (7647-14-5)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Potassium Chloride (7447-40-7)	Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **Canadian Regulations**

EnvironMelt Ice Melter	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria



148 Manitou Drive Unit 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Sodium chloride (7647-14-5)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Calcium Magnesium Acetate (76123-46-1)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Magnesium Chloride (7786-30-3)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Potassium Chloride (7447-40-7)	Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### **Section 16: Other Information**

Other Information:

This document has been prepared in accordance with the SDS requirements of the

OSHA Hazard Communication Standard 29 CFR 1910.1200.

Effective Date: October 26, 2020

Version 5

Contact sds@kissner.com

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability and completeness and pass on the information to its employees or customers. The Kissner Group does not accept responsibility for any loss or damage, which may occur from the use of this information.