# GRIME EATER® RESPONSE HAND SANITIZER GEL WITH ALOE

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Response Hand Sanitizer Gel with Aloe

Other means of identification None.

**Recommended use Hand sanitizer Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Grime Eater Products Limited

Address 3610 Odyssey Drive,

Unit 1, Mississauga, ON L5M 0Z9 Canada

Telephone 1-905-820-2255
E-mail 1-905-820-2255
mel@grimeeater.com

Emergency phone number 1-888-226-8832

**Supplier** See above.

#### 2. Hazard identification

Physical hazardsFlammable liquidsCategory 2Health hazardsSerious eye damage/eye irritationCategory 2

Specific target organ toxicity following single Category 3 respiratory tract irritation

exposure

Specific target organ toxicity following single

exposure

Not classified.

Environmental hazards

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or

dizziness. May cause respiratory irritation.

**Precautionary statement** 

**Prevention** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective clothing, eye protection and face protection. Wash thoroughly after handling. Avoid breathing mist or vapour. Use only outdoors or in a well-ventilated

Category 3 narcotic effects

area.

Response In case of fire: Use appropriate media to extinguish. IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF INHALED: remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor if you feel unwell.

**Storage** Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

**Supplemental information** Exempt - Registered product - (NPN 80102638).

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, or any consumer product as defined in section 2 of the Canada Consumer Product Safety Act.

3. Composition/information on ingredients				
Mixtures				
Chemical name	Common name and synonyms	CAS number	%	
Ethanol		64-17-5	65 - 85*	
Composition comments	*CANADA GHS: The exact percentage (conc trade secret.	entration) of composition has be	een withheld as a	
	4. First-aid measures	<b>3</b>		
 Inhalation				
	IF INHALED: remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE or doctor if you feel unwell.			
Skin contact	Stop use and ask a doctor if skin irritation develops.			
Eye contact	When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water.			
Ingestion	If swallowed, call a poison control center or get medical help right away			
Most important symptoms/effects, acute and delayed	May cause respiratory irritation. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.			
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.			
General information	For external use only Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep or of reach of children.			
	5. Fire-fighting measur	es		
Suitable extinguishing media	Carbon dioxide. Water spray. Alcohol resistar	nt foam. Dry chemical.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.			
Specific hazards arising from the chemical	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.			
Hazardous combustion products	May include and are not limited to: Oxides of carbon.			
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.			
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.			
General fire hazards	Highly flammable liquid and vapour.			
	6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Eliminate flames in immediate area). Do not touch dam appropriate protective clothing. Ventilate clos mist/vapor. Local authorities should be advise personal protection, see section 8 of the SDS	aged containers or spilled mate ed spaces before entering them ed if significant spillages cannot	rial unless wearing  . Avoid breathing	
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, fla combustibles (wood, paper, oil etc) away from against static discharge. Use only non-sparking risk. Dike the spilled material, where this is powermiculite, sand or earth to soak up the processor Following product recovery, flush area with we contamination. For waste disposal, see section	n spilled material. Take precaut ng tools. Stop the flow of materi ossible. Use a non-combustible duct and place into a container frater. Clean surface thoroughly f	ionary measures al, if this is without material like or later disposal.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.			
	7. Handling and storag	је		
Precautions for safe handling	Do not handle, store or open near an open flamaterial from direct sunlight. Take precaution equipment used when handling the product mexplosion-proof equipment. Wear appropriate after handling. Avoid contact with eyes. Avoid practices in handling this material.	ary measures against static dis nust be grounded. Use non-spar personal protective equipment.	charges. All king tools and Wash thoroughly	

Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. Store locked up.

## 8. Exposure controls/Personal protection

**US. ACGIH Threshold Limit Values** 

Components Value Type Ethanol (CAS 64-17-5) **STEL** 1000 ppm

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components Value Type Ethanol (CAS 64-17-5) TWA 1880 mg/m3 mag 0001

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and

Safety Regulation 296/97, as amended)

Components **Type** Value Ethanol (CAS 64-17-5) STEL 1000 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Value Components Type Ethanol (CAS 64-17-5) STEL 1000 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Value Components Type Ethanol (CAS 64-17-5) STEL 1000 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components Type Value **TWA** Ethanol (CAS 64-17-5) 1880 mg/m3 1000 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components **Type** Value 1250 ppm 15 minute Ethanol (CAS 64-17-5) 8 hour 1000 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields. Eve/face protection

Skin protection

Not normally required when used as directed. When handling in large quantities or responding to Hand protection

emergency situations, the use of appropriate skin protection is recommended.

Wear appropriate chemical resistant clothing. As required by employer code. Other

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

**General hygiene** Handle in accordance with good industrial hygiene and safety practices. When using, do not eat, drink or smoke. considerations

### 9. Physical and chemical properties

Gel. **Appearance** Physical state Liquid. Gel **Form** Colour Clear Fragrant Odour **Odour threshold** Not available. 7 - 8 pН

Page: 3 of 7 (EN) English Issue date 01-July-2020 Melting point/freezing point Not available.

Initial boiling point and boiling

range

Not available.

Flash point 24.0 °C (75.2 °F)
Evaporation rate Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit – upper

(%)

Not available.

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.

Strong oxidising agents. Acids.

Incompatible materials

**Hazardous decomposition** 

products

May include and are not limited to: Oxides of carbon.

### 11. Toxicological information

Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system. May cause drowsiness and dizziness. Headache.

Nausea, vomiting. Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes serious eye irritation.

**Ingestion** May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics

May cause respiratory irritation. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

Ethanol (CAS 64-17-5)

Acute

Dermal

LD50 Rabbit > 15800 mg/kg, SIDS initial assessment

report

Inhalation

LC50 Mouse > 60000 ppm, 60 Minutes, ECHA

(EN) English Page: 4 of 7 Issue date 01-July-2020

**Species Test Results** Components Rat 31623 ppm, 4 Hours, HMIRA Oral LD50 Rat 12400 mg/kg, ECHA 10470 mg/kg, ECHA Skin corrosion/irritation Not expected to be a primary skin irritant.

Not available. **Exposure minutes** Not available. Erythema value Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Not available. Corneal opacity value Not available. Iris lesion value Not available. Conjunctival reddening

value

Not available. Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Ethanol is not considered to be a carcinogenic component for this product. The product is not an

alcoholic beverage for consumption.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness. May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

Prolonged inhalation may be harmful. Chronic effects

**Further information** Not available.

## 12. Ecological information

See below **Ecotoxicity** 

**Ecotoxicological data** 

**Species Test Results** Components

Ethanol (CAS 64-17-5)

EC50 11744.5 mg/L, 48 Hours Crustacea Daphnia

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 7.7 - 11.2 mg/L, 48 hours LC50 Fathead minnow (Pimephales promelas) > 100 mg/L, 96 hours

Persistence and degradability

**Bioaccumulative potential** 

No data is available on the degradability of any ingredients in the mixture.

Mobility in soil No data available. Not available. Mobility in general

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

General

Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

**Transportation of Dangerous Goods (TDG - Canada)** 

**Basic shipping requirements:** 

UN number UN1170

Proper shipping name

ETHANOL with more than 24% ethanol, by volume

Hazard class 3
Packing group II

Packaging exceptions <1L - Limited Quantity

**TDG** 



## 15. Regulatory information

#### Canadian federal regulations

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

Exempt - Registered product - (NPN 80102638).

Directions of Use:

Supervise children when they use this product. For occasional and domestic use, rub thoroughly into hands for at least 30 seconds. Allow to dry. Warnings For external use only

When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water. Stop use and ask a doctor if irritation develops.

Keep out of reach of children. If swallowed, call a poison control center or get medical help right away.

Flammability warning: Keep away from open flame and sources of heat.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Ethanol (CAS 64-17-5) 1 TONNES

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

WHMIS status Exempt

International regulations

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Issue date Revision date Version No.

Disclaimer

HEALTH / 2
FLAMMABILITY 3
PHYSICAL HAZARD 0
PERSONAL X
PROTECTION X

01-July-2020 01-July-2020 2 0

01

The information in the safety data sheet was written by Grime Eater Products Limited (www.grimeeater.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Prepared by

Grime Eater Products Limited www.grimeeater.com Phone: 905-820-2255