# **SAFETY DATA SHEET**

### 1. Identification

Product identifier SPOT REMOVER (A)

Other means of identification

Product code n/a

Recommended use CLEANER
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name MAUNCO CLEANING SUPPLIES WAREHOUSE

Address 270 Adam Street

BELLEVILLE, ON K8N 5S4

Canada

**Telephone** General Assistance 1-613-962-0437

E-mail Not available.

Emergency phone number 1-613-962-0437

## 2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Health hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Extremely flammable aerosol.

**Precautionary statement** 

**Prevention** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

**Response** Wash hands after handling.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Propylene Glycol Methyl Ether		107-98-2	10 - 30
Isobutane		75-28-5	3 - 7
Propane		74-98-6	0.5 - 1.5
Other components below reportable levels			60 - 100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Product name: SPOT REMOVER (A)

1 / 8

#### 4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

Direct contact with eyes may cause temporary irritation.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Not available.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

**General information** 

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials. Move Specific methods containers from fire area if you can do so without risk. In the event of fire and/or explosion do not

breathe fumes.

General fire hazards Extremely flammable aerosol.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame. heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

2/8 Issue date: 04-17-2018

# 8. Exposure controls/personal protection

# Occupational exposure limits

US	<b>ACGIH</b>	<b>Threshold</b>	I imit	Values
UJ.	ACGILL	HIHESHOIG	<b>L</b> 111111	values

Components	Туре	Value
Isobutane (CAS 75-28-5)	STEL	1000 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	100 ppm
·	TWA	50 ppm
Canada. Alberta OELs (Oc Components	cupational Health & Safety Code, Sch Type	nedule 1, Table 2) Value
Propane (CAS 74-98-6)	TWA	1000 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	553 mg/m3
		150 ppm
	TWA	369 mg/m3
		100 ppm
Safety Regulation 296/97,	as amended)	s for Chemical Substances, Occupational Health and
Components	Туре	Value
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	75 ppm
,	TWA	50 ppm
Canada, Manitoba OELs (F	Reg. 217/2006, The Workplace Safety	And Health Act)
Components	Туре	Value
Isobutane (CAS 75-28-5)	STEL	1000 ppm
Isobutane (CAS 75-28-5) Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL STEL	1000 ppm 100 ppm
Propylene Glycol Methyl		• •
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Co	STEL	100 ppm 50 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Co	STEL TWA	100 ppm 50 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components	STEL TWA ontrol of Exposure to Biological or Cl	100 ppm 50 ppm nemical Agents)
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl	STEL TWA ontrol of Exposure to Biological or Cl Type	100 ppm 50 ppm nemical Agents) Value
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl	STEL  TWA  ontrol of Exposure to Biological or Cl  Type  TWA	100 ppm  50 ppm  nemical Agents)  Value  800 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL TWA ontrol of Exposure to Biological or Cl Type TWA STEL TWA	100 ppm  50 ppm  nemical Agents)  Value  800 ppm 150 ppm  100 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Quebec OELs. (M	STEL TWA ontrol of Exposure to Biological or Cl Type TWA STEL TWA	100 ppm  50 ppm  nemical Agents)  Value  800 ppm  150 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL TWA  control of Exposure to Biological or Cl Type  TWA STEL  TWA  Inistry of Labor - Regulation Respect	100 ppm  50 ppm  nemical Agents) Value  800 ppm 150 ppm  100 ppm  ing the Quality of the Work Environment) Value  1800 mg/m3
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Quebec OELs. (Magnetic Components)  Propane (CAS 74-98-6)  Propylene Glycol Methyl	STEL TWA  ontrol of Exposure to Biological or Cl Type TWA STEL TWA linistry of Labor - Regulation Respect	100 ppm  50 ppm  nemical Agents) Value  800 ppm 150 ppm  100 ppm  ing the Quality of the Work Environment) Value
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Quebec OELs. (Magnetic Components)  Propane (CAS 74-98-6)  Propylene Glycol Methyl	STEL TWA control of Exposure to Biological or Cl Type TWA STEL TWA linistry of Labor - Regulation Respect Type TWA	100 ppm  50 ppm  nemical Agents) Value  800 ppm 150 ppm  100 ppm  ing the Quality of the Work Environment) Value  1800 mg/m3 1000 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Quebec OELs. (Magnetic Components)  Propane (CAS 74-98-6)  Propylene Glycol Methyl	STEL TWA control of Exposure to Biological or Cl Type TWA STEL TWA linistry of Labor - Regulation Respect Type TWA	100 ppm  50 ppm  nemical Agents) Value  800 ppm 150 ppm  100 ppm  ing the Quality of the Work Environment) Value  1800 mg/m3 1000 ppm 553 mg/m3
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5) Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Quebec OELs. (Momponents)  Propane (CAS 74-98-6)  Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL TWA  control of Exposure to Biological or Cl Type  TWA STEL  TWA  linistry of Labor - Regulation Respect Type  TWA  STEL  TWA  STEL  TWA  STEL	100 ppm  50 ppm  nemical Agents) Value  800 ppm 150 ppm  100 ppm  ing the Quality of the Work Environment) Value  1800 mg/m3 1000 ppm 553 mg/m3  150 ppm 369 mg/m3 100 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Ontario OELs. (Components  Isobutane (CAS 75-28-5)  Propylene Glycol Methyl Ether (CAS 107-98-2)  Canada. Quebec OELs. (Magnetic Components)  Propane (CAS 74-98-6)  Propylene Glycol Methyl	STEL TWA  control of Exposure to Biological or Cl Type TWA STEL TWA  linistry of Labor - Regulation Respect Type TWA STEL  TWA  STEL  TWA  No biological exposure limits noted in	100 ppm  50 ppm  nemical Agents) Value  800 ppm 150 ppm  100 ppm  ing the Quality of the Work Environment) Value  1800 mg/m3 1000 ppm 553 mg/m3  150 ppm 369 mg/m3 100 ppm

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

3/8

supplier.

Other Wear suitable protective clothing.

Product name: SPOT REMOVER (A)

Issue date: 04-17-2018

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Gas. Physical state Aerosol. **Form** Color Not available. Not available. Odor **Odor threshold** Not available. Not available. Ha Not available. Melting point/freezing point

Initial boiling point and boiling

range

210.78 °F (99.32 °C) estimated

-99.4 °F (-73.0 °C) PROPELLANT estimated Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

1.5 % estimated

(%)

Flammability limit - upper

13.7 % estimated

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

564.17 °F (295.65 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Explosive properties** Not explosive. Oxidizing properties Not oxidizing. Specific gravity 0.97 estimated

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong acids.

Hazardous decomposition

products

No hazardous decomposition products are known.

Product name: SPOT REMOVER (A)

4/8 Issue date: 04-17-2018

# 11. Toxicological information

### Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

#### **Acute toxicity**

Components	Species	Test Results
Isobutane (CAS 75-28-5)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
Propane (CAS 74-98-6)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
		658 mg/l/4h
Propylene Glycol Methyl Et	her (CAS 107-98-2)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 13000 mg/kg, 24 Hours
		14.1 ml/kg, 24 Hours
	Rat	> 2000 mg/kg, Days
Inhalation		
LC100	Rat	10400 ppm
LC50	Mouse	6000 - 7000 ppm, 6 Hours
Oral		
LD50	Dog	9000 mg/kg
	Rat	3739 mg/kg
		5.66 ml/kg
		3.33g

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

Product name: SPOT REMOVER (A)

Issue date: 04-17-2018 5 / 8

**ACGIH Carcinogens** 

Propylene Glycol Methyl Ether (CAS 107-98-2)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

1-METHOXY-2-PROPANOL (PGME) (CAS 107-98-2)

Not classifiable as a human carcinogen.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

the days are sure

**Aspiration hazard** Not likely, due to the form of the product.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

Propylene Glycol Methyl Ether (CAS 107-98-2)

Aquatic

Crustacea EC50 Daphnia 23300 mg/L, 48 Hours

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Isobutane 2.76 Propane 2.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

### 14. Transport information

**TDG** 

UN number UN1950

UN proper shipping name AEROSOLS, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -

Packing group Not applicable.

Environmental hazards

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exemption requirements and may be shipped as a limited quantity.

IATA

UN number UN1950

**UN proper shipping name** Aerosols, flammable

Product name: SPOT REMOVER (A)

Issue date: 04-17-2018 6 / 8

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

**Environmental hazards** No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Not applicable.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**UN number** UN1950 **UN proper shipping name** AEROSOLS

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

**Environmental hazards** 

 $\begin{tabular}{ll} \mbox{Marine pollutant} & \mbox{No.} \\ \mbox{EmS} & \mbox{F-D, S-U} \\ \end{tabular}$ 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG; TDG



## 15. Regulatory information

#### Canadian regulations

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

Product name: SPOT REMOVER (A)

7 / 8 Issue date: 04-17-2018

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other Information

Issue date 04-17-2018

(PICCS)

Version #

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Yes

8/8

materials or in any process, unless specified in the text.

Product name: SPOT REMOVER (A)

Issue date: 04-17-2018