

SAFETY DATA SHEET

TILE BRIGHT

1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: TILE BRIGHT
Date of Safety Data Sheet: January 5, 2017
Use of Preparation: Cleaner
Company Identification: MAUNCO CLEANING SUPPLIES WAREHOUSE
270 Adam Street
BELLEVILLE, ON K8N 5S4

Company Emergency Telephone Number 1-613-962-0437

Transportation Emergency Telephone Number 1-613-962-0437

2. HAZARD IDENTIFICATION

Emergency Overview:

OSHA/ WHMIS 2014 Hazards:

Classification of substances or mixture

GHS-US/ Canadian classification:

May be Corrosive to Metals 1 H290

Acute Toxicity 4 (Oral) H302

Eye Damage 1 H318

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS):



Signal Word (GHS): Danger

Hazard Statements (GHS):

H290- May be corrosive to metals

H302 - Harmful if swallowed

H318- Causes serious eye damage

Precautionary Statements (GHS):

P260: Do not breathe mist, spray, and vapors.

P264: Wash hands, forearms, and exposed areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear face protection, protective clothing and eye protection.

Response Statements (GHS):

P301+P310+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Date: January 5, 2017

SDS: Maunco Cleaning Supplies Warehouse – TILE BIRGHT

SAFETY DATA SHEET

TILE BRIGHT

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Urea, monohydrochloride	506-89-8	5-15	May be Corrosive to Metals Category 1-H290 Acute Toxicity Category (Oral) 4 - H302 Eye Damage Category 1- H318 STOT Information not currently available.
Ethylene Glycol Monobutyl Ether	111-76-2	1-5	Flammable Liquid Category 4 – H227 Skin Irritation Category 2A - H315
Alcohol Ethoxylate	68131-39-5	1-5	Serious Eye Damage / Eye Irritation Category 2A - H319

4. FIRST AID MEASURES

General Advice:	Remove to fresh air. If symptoms persist, consult a doctor.
Eye Contact:	Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin Contact:	Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse.
Ingestion:	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Immediately call a POISON CENTRE or doctor/physician.
Inhalation:	Remove to fresh air.
Notes to Physician:	Treatment based on judgment of attending physician.
Most important symptoms and effects, both acute and delayed:	Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Any standard extinguishing media (alcohol foam, water spray or fog, CO2 dry chemical, etc.).
Unsuitable extinguishing media:	High volume/jet water.
Special exposure hazards:	Thermal decomposition releases irritating gases.
Special safety equipment:	Self-contained positive pressure breathing apparatus and protective clothing.
Fire and explosion	Not flammable. No explosion hazard.
Further information	Keep containers and surrounding cool with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes. Avoid prolonged contact with skin and clothing. Do not breathe vapour or mist.

SAFETY DATA SHEET

TILE BRIGHT

For Non-Emergency Personnel:

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel:

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Stop leak if safe to do so. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up:

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely.

Reference to Other Sections:

See Heading 8. Exposure controls and personal protection.

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage: Alkaline, Oxidizers, reducing agents.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Do not store together with alkaline products.

Store away from oxidizing agents.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate Engineering Controls:

Engineering Measures Showers. Eyewash Stations. Ventilation Systems.

Respiratory protection: Use local exhaust or dilution ventilation.

Hand protection: Chemical resistant gloves if risk assessment indicates this is necessary.

Eye protection: Safety goggles or full face shield.

Skin protection: Use body-covering impervious clothing if risk assessment indicates this is necessary.

SAFETY DATA SHEET

TILE BRIGHT

Working hygiene: Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

Exposure guidelines: None.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

<u>Physical State</u>	Liquid	<u>Appearance</u>	Clear viscous	<u>Odour</u>	Mint
<u>Colour</u>	green	<u>Odour Threshold</u>		<u>Remarks/Method</u>	No data available.
<u>Property</u>	<u>Values</u>				
pH	< 1.0			None known	
Melting/Freezing Point	No data available			None known	
Boiling Point/Range	No data available			None known	
Flash Point	Not applicable.			None known	
Evaporation Rate	Similar			None known	
Flammability (solid, gas)	Not flammable			None known	
Flammability Limit in Air:					
Upper Limit	No data available			None known	
Lower Limit	No data available			None known	
Vapour Pressure	No data available			None known	
Vapour density	No data available			None known	
Specific Gravity	1.05 g/cm ³				
Water Solubility	Soluble in water.			None known	
Solubility Other Solvents	No data available			None known	
Partition Coefficient:					
n-octanol/water	No data available			None known	
Autoignition temperature	No data available			None known	
Decomposition Temperature	No data available			None known	
Kinematic Viscosity	No data available			None known	
Dynamic Viscosity	No data available			None known	
Explosive Properties	No data available			None known	
Oxidizing Properties	No data available			None known	
 <u>Other Properties:</u>					
Softening Point	No data available				
VOC Content %	No data available				
Particle Size	No data available				
Particle Size Distribution	No data available				

10. STABILITY AND REACTIVITY

Reactivity Stable at normal ambient temperature and pressure.

Chemical stability Stable up to 110 °C /230°F

Thermal decomposition/conditions to avoid: Heating above 110 °C /230°F results in an exothermic decomposition with rapid release of CO₂ gas
 Reacts with alkali, metals, amines and oxidizing agents.

SAFETY DATA SHEET

TILE BRIGHT

Possibility of hazardous reactions	Corrodes aluminium. Warning! Do not use together with other products. May release dangerous gases (chlorine). Avoid contact with oxidizers.
Conditions to avoid	Store away from oxidizing agents. Warning! Do not use together with other products. May release dangerous gases (chlorine). Avoid contact with oxidizers. This material may be extremely
Hazardous decomposition products	hazardous in contact with chlorates or nitrates. This material is acidic. Contact with hypochlorites (e.g. chlorine bleach, sulfides, or cyanides will liberate toxic gases. Contact with alkaline materials (e.g. aqua ammonia) will generate heat.
Materials to avoid	Oxidizing agents, acids.
Hazardous polymerization	Will not occur

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: Not classified.

LD/LC50 values relevant for classification

Urea Hydrochloride CAS # 506-89-8:

LD50 (Oral, rat): 1,100 mg/kg

Primary irritant effect:

On the skin: Prolonged or repeated contact can cause mild skin irritation

Non Corrosive to Skin: (as defined and tested in accordance with the U.S. OSHA's Hazard Communication Standard, DOT Hazardous Material Regulations, Canada's WHMIS regulations and TDG Regulations. Classified as a mild skin irritant as per the 1992 OECD Guideline for Testing of Chemicals, Number 404 "Acute Dermal Irritation/Corrosion.")

On the eye: Strong caustic effect.

Ingestion: Unclassified.

Inhalation: Unclassified.

Sensitization: No sensitizing effects known.

Additional toxicological information: The product shows the following dangers according to the calculation method: Corrosive to eye.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12. ECOLOGICAL INFORMATION

Toxicity:	Not available.
Persistence and Degradability:	Not available
Bioaccumulative Potential:	Not available
Mobility in Soil:	Not available.
Other Adverse Effects	Not available.
Other Information:	Avoid release to the environment.

13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.

SAFETY DATA SHEET

TILE BRIGHT

14. TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT): Regulated Material

Not regulated.

Canadian T.D.G.: Regulated Material

Proper Shipping Name: Corrosive liquid, Acidic, Organic N.O.S.

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 3265

Packing Group: III



Water Transportation (IMO): Regulated Material

Proper Shipping Name: Corrosive liquid, Acidic, Organic N.O.S.

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 3265

Packing Group: III



Air Transportation (IATA): Regulated Material

Proper Shipping Name: Corrosive liquid, Acidic, Organic N.O.S.

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 3265

Packing Group: III



15. REGULATION

Occupational Health & Safety Regulations:

WHMIS 1988 Classification: Class D - Division 2B, Class E



SAFETY DATA SHEET

TILE BRIGHT

OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	-
PICCS	Complies
AICS	Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Listed on the United States TSCA (Toxic Substances Control Act) inventory

U.S. State Regulations

California Prop. 65

This product does not contain any Proposition 65 chemicals.

HMIS III Rating

Health: 3 Serious Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)

16. OTHER INFORMATION

Prepared By: Technical Department.

Issuing Date: January 5, 2017

Disclaimer:

SAFETY DATA SHEET

TILE BRIGHT

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet