

Tree Leak

SECTION 1. IDENTIFICATION

Product Identifier	Tree Leak
Other Means of Identification	SAP CLEANER
Product Family	Cleaner
Manufacturer	Laboratoire Hygienex Inc. 6400 Zéphirin-Paquet Québec, Québec, G2C-0M3 (418) 522-2332 www.hygienex.com
Emergency Phone No.	CANUTEC, (613) 996-6666
SDS No.	905

SECTION 2. HAZARD IDENTIFICATION

Classification

Flammable liquid - Category 3; Skin irritation - Category 2; Eye irritation - Category 2; Specific target organ toxicity (single exposure) - Category 3; Aspiration hazard - Category 1

Label Elements



Signal Word:

Danger

Hazard Statement(s):

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 + H320 Causes skin and eye irritation.

Precautionary Statement(s):

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P242 Use non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash hands and skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/eye protection/face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

P331 Do NOT induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P332 + P313 If skin irritation occurs: Get medical advice or attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 If eye irritation persists: Get medical advice or attention.
 Storage:
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 Disposal:
 P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Naphtha (petroleum), hydrotreated heavy	64742-48-9	30-60	Not Applicable	Not Applicable
Diethylene glycol monobutyl ether	112-34-5	30-60	Not Applicable	Not Applicable
Propylene glycol mono-n-butyl ether	5131-66-8	7-13	Not Applicable	Not Applicable
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with 2-propanamine	68584-24-7	1-5	Not Applicable	Not Applicable

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Keep at rest in a position comfortable for breathing. Get medical advice or attention if you feel unwell.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Quickly and gently blot or brush away excess chemical. Rinse skin with water or shower. Get medical advice or attention if you feel unwell. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

Eye Contact

Avoid direct contact. Wear chemical protective gloves if necessary. Quickly and gently blot or brush chemical off the face. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

Ingestion

Rinse mouth with water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Get medical advice or attention if you feel unwell.

Immediate Medical Attention and Special Treatment

Special Instructions

Monitor nervous system function.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog. Use water to keep non-leaking,

Product Identifier: Tree Leak - Ver. 1
 Date of Preparation: mars 04, 2021
 Date of Last Revision: mars 04, 2021

SDS No.: 905

Page 02 of 06

fire-exposed containers cool.

Specific Hazards Arising from the Product

Can ignite if strongly heated. Heating increases the release of toxic vapour. Closed containers may rupture violently when heated releasing contents.

Special Protective Equipment and Precautions for Fire-fighters

Evacuate area. Fight fire from a safe distance or a protected location. Approach fire from upwind to avoid hazardous vapours or gases. Before entry, especially into confined areas, use an appropriate monitor to check for: toxic gases or vapours, flammable or explosive atmosphere. Dike and recover contaminated water for appropriate disposal. Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Evacuate downwind locations. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Eliminate all ignition sources. Use grounded, explosion-proof equipment. Eliminate all ignition sources if safe to do so. Remove or isolate incompatible materials as well as other hazardous materials.

Environmental Precautions

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Minimize the use of water to prevent environmental contamination.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up. Do not use absorbents. Contain spill using noncombustible material such as vermiculite, earth or sand. Do NOT use combustible materials such as sawdust. Cover the spill surface with the appropriate type of foam to reduce the release of vapour. Place used absorbent into suitable, covered, labelled containers for disposal. Do not direct water at spill or source. Remove or recover liquid using pumps or vacuum equipment. Flush spill area. Dike and recover contaminated water for appropriate disposal. Store recovered product in suitable containers that are: covered, tightly-covered. Review Section 13 (Disposal Considerations) of this safety data sheet.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not breathe in this product. Avoid breathing in this product. Avoid repeated or prolonged skin contact. Do not get in eyes. Do not swallow. Avoid exposure during pregnancy and while nursing. Only use where there is adequate ventilation. Avoid generating vapours or mists. Prevent uncontrolled release of product. Avoid release to the environment. Immediately report leaks, spills or failures of the safety equipment (e.g. ventilation system). In event of a spill or leak, immediately put on escape-type respirator and exit the area. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Avoid heating that will increase the amount of vapours. Electrically bond and ground equipment. Ground clips must contact bare metal. Increase conductivity by reducing flow rate in transfer operations. Prevent accidental contact with incompatible chemicals. Wear personal protective equipment to avoid direct contact with this chemical. Avoid repeated or prolonged skin contact with product or with contaminated equipment/surfaces. Use in temperature-controlled area. See advice on temperature in Conditions to Avoid (Section 10 Stability and Reactivity). Isolate and purge all equipment, piping or vessels prior to maintenance or repairs. Do NOT eat, drink or store food in work areas. Wash hands thoroughly after handling this product and before eating, using the washroom or leaving work area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate Engineering Controls

For large scale use of this product: do not allow product to accumulate in the air in work or storage areas, or in confined spaces. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Exhaust directly to the outside, taking any necessary precautions for environmental protection. Use non-sparking ventilation systems,

Product Identifier: Tree Leak - Ver. 1

SDS No.: 905

Date of Preparation: mars 04, 2021

Date of Last Revision: mars 04, 2021

Page 03 of 06

approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored. Use only non-combustible, compatible materials for walls, floors, ventilation system, air cleaning devices, pallets, shelving. Provide safety shower in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots. Verify carefully the gloves condition before each use. Wear fire resistant or flame retardant clothing. Wear a chemical splash suit and respiratory protection.

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with an organic vapour cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear colourless.
Odour	Ethereal
Solubility	Insoluble in water
Other Information	
Physical State	Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Heating may cause a fire. Strong oxidizer. May intensify fire.

Chemical Stability

Stable dans des conditions normales.

Possibility of Hazardous Reactions

Heat, increased temperature. May catch fire.

Conditions to Avoid

Heat. High temperatures. Incompatible materials.

Incompatible Materials

Oxygen, strong oxidizing agents (e.g. perchloric acid).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Naphtha (petroleum), hydrotreated heavy	> 2500 mg/m ³ (rat) (4-hour exposure) (vapour)	> 5000 mg/kg (rat)	> 5000 mg/kg (rabbit)
Diethylene glycol monobutyl ether		5000 mg/kg (rat)	2764 mg/kg (rabbit)
Propylene glycol mono-n-butyl ether	3.5 mg/L (rat) (4-hour exposure)	3300 mg/kg (rat)	2000 mg/kg (rat)

Skin Corrosion/Irritation

May cause very mild irritation based on information for closely related chemicals.

Serious Eye Damage/Irritation

May cause very mild irritation based on information for closely related chemicals.

STOT (Specific Target Organ Toxicity) - Single Exposure

Product Identifier: Tree Leak - Ver. 1
Date of Preparation: mars 04, 2021
Date of Last Revision: mars 04, 2021

SDS No.: 905

Page 04 of 06

Inhalation

May be toxic by inhalation.

Skin Absorption

This product is absorbed by the respiratory tract and the digestive tract.

Ingestion

May be toxic by ingestion.

Aspiration Hazard

May be drawn into the lungs (aspirated) if swallowed or vomited. Symptoms may include coughing, choking, shortness of breath, difficult or rapid breathing, and wheezing. Death can result.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

At high concentrations effects on the central nervous system.

Respiratory and/or Skin Sensitization

No information was located.

Reproductive Toxicity**Development of Offspring**

No information was located.

Sexual Function and Fertility

No information was located.

Effects on or via Lactation

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

Ecotoxicity**Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Diethylene glycol monobutyl ether	2400 mg/L (Lepomis macrochirus (bluegill); 48-hour; static)	100 mg/L (Daphnia magna (water flea); 48-hour)		

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations. This product and its container must be disposed of as hazardous waste. Do NOT dump into any sewers, on the ground or into any body of water. Empty containers retain product residue. Follow label warnings even if container appears to be empty. Do not reuse empty containers.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
TMD au Canada	UN1993	FLAMMABLE LIQUIDS, N.O.S (Naphtha (petroleum), hydrotreated heavy)	3	III

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Product Identifier: Tree Leak - Ver. 1

SDS No.: 905

Date of Preparation: mars 04, 2021

Date of Last Revision: mars 04, 2021

Page 05 of 06

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canadian ingredient disclosure list (Level 0.1%):

None of the components is superior to 0.1%

Canadian ingredient disclosure list (Level 1%):

See section 3.

SECTION 16. OTHER INFORMATION

Date of Preparation mars 04, 2021

Date of Last Revision mars 04, 2021

Key to Abbreviations CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

References <https://echa.europa.eu/fr/>
<http://www.csst.qc.ca/Pages/index.aspx>.
Security data sheets of the suppliers.

Additional Information The preceding indications are based on our current knowledge but do not represent a guaranty in terms of the product's proprieties and do not establish a legally valid contractual relationship. The manipulation and use conditions of the product go beyond the rep's control. It is the user's responsibility to evaluate all available information before using the product, no matter the type of use, and to respect all local, provincial and federal legislations and laws.

Product Identifier: Tree Leak - Ver. 1

SDS No.: 905

Date of Preparation: mars 04, 2021

Date of Last Revision: mars 04, 2021

Page 06 of 06